EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	singman$ with michael.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 14:55
L2	1	singman$aste.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 14:55
L3	1	(1 2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 14:55
L4	0	modal with value with non$numeric with data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 14:55
L5	7	(determin$4 calculat$4 find$4 identif$4) with (mode modal) with value and data with set with subset with (alpha character alphabet$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 14:56
L6	21	(determin$4 calculat$4 find$4 identif$4) with (mode (modal with value)) and data with set with subset with (alpha character alphabet$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 14:56
L7	14	L6 not L5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 14:56
L8	14	L6 not L5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:25
L9	14	(mode modal) with value and data with set with subset with (alpha character alphabet$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:00
L10	12	L9 not L8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:00
L11	9	(mode modal) near2 value and data with set with subset with (alpha character alphabet$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:25

EAST Search History

L12	3	L11 not L6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:01
L13	3	L11 not L6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:01
L14	0	L11 not L13 and (mode modal) near2 value.clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:24
L15	8	(calculat$4 determin$4 comput$4 generat$4 identif$4) with (mode modal) adj value and data with set with subset and (float integer currency date decimal string) and data$base and (quer$4 search$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:01
L16	4	(calculat$4 determin$4 comput$4 generat$4 identif$4) with (mode modal) adj value and data with set with subset and (float integer currency date decimal string) and data$base with (quer$4 search$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:01
L17	2	L15 not L16 and process$4 with (mode modal) and (multipl$4 plural$4 group) with (mode modal)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:01
L18	12	lower$case with string and upper$case with string and (mode modal) with value	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:02
L19	12	(lower$case and upper$case) with string and (mode modal) with value	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:02
L20	0	L19 not L18	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:02
L21	8	(calculat$4 determin$4 comput$4 generat$4 identif$4) with (mode modal) adj value and data with set with subset and (float integer currency date decimal string) and data$base and (quer$4 search$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:02

EAST Search History

L22	4	(calculat$4 determin$4 comput$4 generat$4 identif$4) with (mode modal) adj value and data with set with subset and (float integer currency date decimal string) and data$base with (quer$4 search$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:02
L23	2	L21 not L22 and process$4 with (mode modal) and (multipl$4 plural$4 group) with (mode modal)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:02
L24	21	(determin$4 calculat$4 find$4 identif$4) with (mode (modal with value)) and data with set with subset with (alpha character alphabet$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:16
L25	7	(determin$4 calculat$4 find$4 identif$4) with (mode modal) with value and data with set with subset with (alpha character alphabet$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:16
L26	14	L24 not L25	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:16
L27	3	lower$case with string and upper$case with string same (mode modal) with value	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:21
L28	0	L11 not L13 and (mode modal) near2 value.clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:24
L29	14	L6 not L5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:25
L30	9	(mode modal) near2 value and data with set with subset with (alpha character alphabet$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:25